

# Regional Water Resource Agency

## General Hauler Permit Conditions

1. The Permittee shall abide by the **RWRA Pretreatment Regulation**, which prohibits discharge other than domestic or other approved industrial or commercial waste. Domestic waste is defined as waste from residential users or domestic package plants. A copy of the regulation is available by request or online at [www.rwra.org](http://www.rwra.org).
2. The permittee shall discharge to the RWRA sewage treatment system at 1201 Ewing Road by presenting a completed and signed RWRA or DOT manifest.
3. The permittee is subject to the **RWRA Enforcement Response Guide**. A copy of the regulation is available by request or online at [www.rwra.org](http://www.rwra.org).
4. RWRA must be notified of any exchange of vehicles; change in ownership, and/or name of business or address by requesting and submitting an additional permit application.
5. The discharge to RWRA of unpermitted industrial or commercial waste is prohibited, the discharge of toxic and/or hazardous waste is strictly forbidden. Treatment charges for approved industrial and commercial waste are based on strength of the waste.
6. Random samples and testing of waste discharged by the Permittee may be required at the Permittee's expense in order to verify compliance with the RWRA Pretreatment Regulation and applicable state and federal statutes and regulations.
7. In the event that the Permittee fails to abide by any condition of the General Hauler Permit, the permit shall immediately be suspended.
8. Before any suspended permit is reinstated by RWRA and user privileges resume, the delinquent customer must pay any outstanding fees and/or fines.
9. RWRA may modify or change the conditions of any permit issued pursuant to this application at any time without prior written notice to comply with new regulations or due to plant conditions. A modified permit will be issued.
10. The Permittee shall allow RWRA personnel to sample loads, inspect their facilities, vehicles, and records at any time without prior written notice, in order to assure compliance with permit conditions. The Permittee must keep all septage receiving facility records and relevant invoicing for a minimum of three years and be available upon request by RWRA.