

Regional Water Resource Agency

Request for Proposal

Bid Name	RWRA FRONT LOADER - MID SIZE WHEEL
Bid Number	2025-11
Bid Opening Date and Time	Tuesday, July 23, 2024, at 2pm local prevailing time
Bid Type	Public Opening - Open and Read Aloud

TO ALL PROSPECTIVE BIDDERS:

You are hereby invited to submit a bid for the item(s) specified within.

All Bidders are responsible for reading and complying with the attached specifications.

The Bidder certifies that all exceptions and conflicts to these contract documents have been detailed on the "Bidder's Exceptions, Conflicts and Clarifications" on page 3 of this document.

Pages contained within this bid package shall not be electronically altered. Failure to comply with these instructions may result in the rejection of the Bidder's proposal.

BIDDER'S INFORMATION:

Company's Legal Name: _____

Address: _____

City, State & Zip Code: _____

Telephone Number: _____

Fax Number: _____

Authorized Email Address: _____

Authorized Signature: _____

Printed Name: _____

Bidder's Exceptions, Conflicts and Clarifications

The Bidder acknowledges the following Addenda issued prior to Bid Opening Date:

If there are no exceptions taken, please CHECK and INITIAL the line below.

NO EXCEPTIONS: _____

If exceptions are taken to the bid, please complete the following page, identifying each exception.

The Bidder certifies that he agrees to all provisions of the bid documents, unless exceptions are specifically and clearly listed on the attached pages of this document and identified as exceptions.

Exceptions to the bid specifications should be noted by number on the appropriate specification sheet and those exceptions are to be explained in the attached pages.

Any and all exceptions to the bid proposal must be spelled out in writing on the attached pages; this includes any exception in the Bidder's "Terms and Conditions". The Bidder's printed "Terms and Conditions" are not considered specific exceptions.

Exceptions NOT listed on the attached RWRA Document will not be taken into consideration; this includes the Bidder's attachments, documents, and/or terms and conditions.

Any reference to "See attached exceptions" will not be considered, EXCEPTIONS must be listed on the attached RWRA document.

Copies can be made of the RWRA Exceptions document if additional space is needed.

Bidder acknowledges that ALL exceptions have been included on the "RWRA Specifications" page(s).

Date: _____

Company Name: _____

Company Representative: _____

Bidder's Exceptions, Conflicts and Clarifications

Any reference to "See attached exceptions" will not be considered, EXCEPTIONS must be listed on the RWRA provided document. Copies of this page may be made if additional space is needed.

Vendor's Statements Pursuant to KRS 45A.343 and KRS 45A.395

KRS 45A.343:

The undersigned, as a duly authorized officer of _____ pursuant to KRS 45A.343 states:

1. To the best of my knowledge, information and belief, _____ has not been finally determined to have violated any of the provisions of KRS Chapters 136, 139, 141, 337, 338, 341 or 342 that apply to it within the five year period preceding this statement.
2. _____ acknowledges that it will be required to be in compliance with those provisions of KRS Chapters 136, 139, 141, 337, 338, 341 and 342 that apply to it for the duration of the contract to be entered into with Regional Water Resource Agency.
3. _____ acknowledges that if it fails to reveal any final determination of violation of KRS Chapters 136, 139, 141, 337, 338, 341 or 342 or to comply with the applicable provisions of those statutes for the duration of the aforesaid Contract, such shall be grounds for Regional Water Resource Agency to:
 - a. Cancel its contract with _____, and
 - b. Disqualify _____ from eligibility for future contracts awarded by Regional Water Resource Agency for a period of two years.

KRS 45A.395:

The provisions of KRS45A.395 require that any bidder or offeror submit a sworn statement in conformity with such statute as a prerequisite to a determination that such bidder or offeror is a responsible bidder. The undersigned, individually and as the _____ (title) of _____ (bidder or offeror) states under penalty perjury that neither he (she), not, to the best of his (her) knowledge, anyone acting on behalf of Bidder or Offeror, has knowingly violated any provision of the campaign finance laws of the Commonwealth of Kentucky and that the award of a contract to the Bidder or Offeror will not violate any provision of the campaign finance laws of the Commonwealth. "Knowingly" means, with respect to conduct or to a circumstance described by a statute defining an offense, that a person is aware or should have been aware that his conduct is of that nature or that his conduct is of that nature or that circumstance exists.

(Company Name)

(Signature)

(Title)

(Typed or printed name)

This the _____ day of _____, 20_____.

Prohibition of Conflicts of Interest, Gratuities, Kickbacks and Use of Confidential Information

Kentucky law prohibits conflicts of interest, gratuities, kickbacks and the use of confidential information with regard to any public contract or a solicitation or proposal therefore. The prohibitions are set for in KRS 45A.455 which provides:

1. It shall be a breach of ethical standards for any employee with procurement authority to participate directly in any proceeding or application; request for ruling or other determination; claim or controversy; or other particular matter pertaining to any contract or subcontract, and any solicitation or proposal therefore, in which to his knowledge:
 - a. He, or any other member of his immediate family has a financial interest therein; or
 - b. A business or organization in which he or any member of his immediate family has a financial interest as an officer, director, trustee, partner, or employee, is a party; or
 - c. Any other person, business or organization with whom he or any member of his immediate family is negotiating or has an arrangement concerning prospective employment is a party. Direct or indirect participation shall include but not be limited to involvement through decision, approval, disapproval, recommendation, preparation of any part of a purchase request, influencing the content of any specification or purchase standard, rendering of advice, investigation, auditing or in any other advisory capacity.
2. It shall be a breach of ethical standards for any person to offer, give or agree to give any employee or former employee, or for any employee or former employee to solicit, demand, accept or agree to accept from another person, a gratuity or an offer of employment, in connection with any decision, approval or disapproval, recommendation, preparation of any part of a purchase request, influencing the content of any specification or purchase standard, rendering of advice, investigation, auditing, or in any other advisory capacity in any proceeding or application, request for ruling or other determination, claim or controversy, or other particular matter, pertaining to any contract or subcontract and any solicitation or proposal therefore.
3. It is a breach of ethical standards for any payment, gratuity, or offer of employment to be made by or on behalf of a subcontractor under a contract to the prime contractor or higher tier subcontractor or any person associated therewith, as an inducement for the award of a subcontract or order.
4. The prohibition of conflicts of interest, gratuities and kickbacks shall be conspicuously set forth in every local public agency's written contract and solicitation therefore.
5. It shall be a breach of ethical standards for any public employee or former employee knowingly to use confidential information for his actual or anticipated personal gain, or the actual or anticipated personal gain of any other person (Enact. Acts 1978, ch.100, S 92, effective January 1, 1980; ch.250, S 16, effective April 9, 1980.)

Violation of the statute may result in a fine and/or imprisonment under the provisions of KRS 5A.990.

INDEMNITY AGREEMENT

_____ (the "Contractor") desires to provide labor and materials to the Regional Water Resource Agency ("RWRA")

RWRA is willing to allow the Contractor to provide labor and materials under the following conditions.

The parties therefore agree as follows:

1. The Contractor shall assume all responsibility and liability for the negligent acts or omissions of its agents, servants, or employees. The Contractor shall be responsible for its employees and shall exercise all dominion, control, and authority over the means and methods used by its employees to perform any work for RWRA or while on RWRA property.
2. The Contractor shall comply with all federal, state, and local occupational safety and health laws and regulations, and local, state, and federal laws and regulations for "Maintenance and Control of Traffic During Construction".
3. To the fullest extent permitted by law, Contractor shall indemnify RWRA, its officers, directors, agents, and employees from all claims for bodily injury and property damage, including reasonable attorneys' fees, costs, and expenses, that may arise from the performance of Contractor's work, but only to the extent caused by the acts or omissions of the Contractor or anyone employed directly or indirectly by the Contractor or by anyone for whose acts any of them may be liable.

The effective date shall be considered latter of the two dates as listed.

Contractor: _____
Print Name: _____
Signed By: _____
Date: _____

Contractor: _____
Print Name: _____
Signed By: _____
Date: _____

SUBMITTAL CHECKLIST

The following completed documents should be included in your submitted proposal (originals and two copies). Indicate on the first page of each set of documents 'ORIGINAL' or "COPY". The original bid documents and the copies shall be submitted in one sealed envelope.

	INVITATION FOR PROPOSAL PAGE WITH BIDDER'S SIGNATURES AND CONTACT INFORMATION (page 1)
	ADDENDA ACKNOWLEDGEMENT, If applicable (page 2)
	EXCEPTIONS, CONFLICTS & CLARIFICATIONS FORM(S) (pages 2-3)
	VENDOR'S STATEMENTS PURSUANT TO KRS 45A.343 AND KRS 45A.395. (page 4)
	PROHIBITION OF CONFLICTS OF INTEREST, GRATUITIES, KICKBACKS AND USE OF CONFIDENTIAL INFORMATION (page 5)
	INDEMNITY AGREEMENT (page 6)
	BIDDER'S W-9 FORM
	QUOTATION SHEET
	PROPOSED CHASSIS SPECIFICATION SHEET(S)
	PROPOSED SPECIFICATION SHEET(S)

Instructions to Bidders

SCOPE

The Regional Water Resource Agency (RWRA) has issued this Request for Proposal (RFP) to solicit bids from qualified BIDDERS to furnish (1) FRONT LOADER - MID SIZE WHEEL and warranty.

Due Date and Time

All bids must be submitted as described within this document to **1722 Pleasant Valley Road, Owensboro, KY 42303, Attn: Tonya Smith, Purchasing Manager, no later than 2:00 pm local prevailing time on Tuesday, July 23, 2024 at this time all bids received will be opened and publicly read. Any bids received after the due date and time will be returned unopened.**

Requests for additional information or clarifications must be made in writing and received by the Purchasing Manager. The request must contain the RFP number and title, Bidder's name, name of Bidder's contact person, address, phone number and email.

RWRA will issue responses to inquiries, and any other corrections or amendments it deems necessary, in written addenda issued prior to the Proposal Submission Date. Bidders should not rely on any representations, statements or explanations other than those made in this RFP, or in any written addendum to this RFP. Where there appears to be conflict between the RFP and any addenda issued, the last addendum issued shall prevail.

Any request for additional information or clarification must be received in writing no later than 2:00 p.m. (CST), July 18th, 2024. Please note that all questions shall be addressed in a subsequent addendum only AFTER the deadline for requests for additional information/clarification.

QUESTIONS:

For all questions (RFI) regarding these bid documents contact

Tonya Smith
Purchasing Manager
270-687-8440, bids@rwra.org or Tonya.Smith@rwra.org

Proposer agrees that it is responsible for clarifying any ambiguity, conflict, discrepancy, omission, or other error found in the RFP prior to the Proposer submitting its Bid or the right to clarify same shall be waived.

SUBMIT SEALED BID TO:

TONYA SMITH
Regional Water Resource Agency
1722 Pleasant Valley
Owensboro, KY 42303

ALL BIDS MUST BE RECEIVED BY 2pm on Tuesday, July 23, 2024, if received after this time the bid will be returned to Bidder unopened.

General Compliance

Please read these instructions carefully.

Bid Submission

All pages of the bid shall be signed in ink on the designated signature lines. Typed quotation sheets are preferred; however, if hand written, the sheets must be legible and in ink. Any pricing information that is illegible may result in the rejection of the bid.

Quotations must be made on the form provided. An accompanying letter of explanation is acceptable if bidder deems it necessary, but only quotes made on the provided forms will be evaluated.

In case of a discrepancy in the extension of a unit price, the unit price shall govern over the total price.

Bidders must provide roof manufacturer's product literature and sample warranty with the bid submission. Prices quotes shall remain firm and open to acceptance by the RWRA for a minimum period of sixty (60) days after bid opening.

The signed completed original bid package inclusive of all items listed in the Submittal Checklist (pg. 7) and copies must be sealed in an envelope with the bidder's name, the bid number, and the bid opening date clearly marked on the outside of the envelope. **The bids shall be addressed and delivered to Regional Water Resource Agency, Attn: Tonya Smith, Purchasing Manager, David Hawes East Treatment Plant, 1722 Pleasant Valley Road, Owensboro, KY 42303.**

Bid Copies

When submitting bids, you must include the original signed bid, along with two (2) copies of the entire bid. Indicate on the first page of the bid "ORIGINAL" or "COPY". The original bid and all copies shall be submitted in one envelope.

Taxes

All prices shall be quoted exclusive of any taxes. The RWRA is exempt of all Federal excise, transportation and/or Kentucky sales tax. RWRA will supply the successful bidder with TAX EXEMPT ID for purchase of unit upon Award of the Contract.

Bidder's Qualifications

Bidders must demonstrate to the satisfaction of RWRA that he has adequate equipment, personnel, experience and understanding of the specifications to be performed under the contract.

If and wherever in the specifications brand names, makes, models, names of any manufacturers, trade names, or Bidder/Proposer catalog numbers are specified, it is for the purpose of establishing the type, function, minimum standard of design, efficiency, grade, or quality of goods only. When RWRA does not wish to rule out other competitors' brands or makes, the phrase "OR EQUAL" is added. When bidding/proposing an approved equal, Bidder/Proposer shall submit, with their response, complete sets of necessary data (factory information sheets, specifications, brochures, etc.) in order for RWRA to evaluate and determine the equality of the item(s) bid/proposed. RWRA shall be the sole judge of equality and its decision shall be final. Unless otherwise specified, evidence in the form of samples may be requested if the proposed brand is other than specified by RWRA. Such samples are to be furnished after Formal Solicitation opening/closing only upon request of RWRA. If samples should be requested, such samples must be received by RWRA no later than seven (7) calendar days after a formal request is made.

No contract will be awarded to any bidder who, in the opinion of RWRA, is not qualified to perform satisfactorily due to a previously unfavorable performance, reputation or lack of experience, capital, organization, equipment, and/or personnel to conduct and complete the services in accordance with the terms and conditions of the contract.

Method of Procurement

Competitive Sealed Bidding (KRS 45A.365) will be the method of procurement for the purchase of the item(s) listed herein.

Bid Award

This bid will be evaluated and selected based upon a combination of the evaluation criteria established in the bid specifications. Selection criteria are as follows:

- Price
- Proposed Chassis/Bed Specifications
- Warranty terms and conditions
- Serviceability and locality
- Production/Delivery Schedule and Availability

RWRA reserves the right, at its sole discretion, to request clarifications of proposals or to conduct discussions for clarification with any or all Proposers. The purpose of any such discussions shall be to ensure full understanding of the proposal. Discussions shall be limited to specific sections of the proposal identified by RWRA and, if held, shall be after the initial evaluation of proposals is complete. If clarifications are made because of such discussions, the Bidder shall put such clarifications in writing.

Bidders submitting a proposal in response to this RFP may be required to give an oral presentation of their proposal. Additional technical and/or cost information may be requested for clarification purposes, but in no way will change the original proposal submitted. Interviews are optional and may or may not be conducted.

RWRA reserves the right to reject any and all proposals and to waive any irregularities in said bids, and the RWRA also reserves the right to award proposals based on the best interest and/or most advantageous to RWRA. Award will be made to the lowest responsive and responsible bidder meeting specifications which RWRA determines is the most advantageous based upon the criteria established herein.

Shipping Charges

All items quoted shall be 'F.O.B. Destination'. No additional delivery charges will be allowed. Bidder shall be responsible for delivering the unit to 2101 Grimes Ave, Owensboro, KY 42303.

Delivery Schedule

Bidder's proposal shall include accurate production and delivery terms for delivery of the unit from the date of the Award. The production and delivery times as quoted shall commence from the date of the Notice of Award. Time will be of the essence for any Contract awarded as a result of this Solicitation. RWRA reserves the right to terminate such Contract, or any part thereof, without obligation, if delivery schedule as proposed is not or cannot be met due to cause or actions of Bidder or related suppliers.

Certificates of Origin to be delivered with unit. Certificate/Title to be assigned to Regional Water Resource Agency, 1722 Pleasant Valley Road, Owensboro, KY 42303.

Indemnity Agreement

All contractors shall be required to sign an indemnity agreement included in the bid package to be considered for this project.

Compliance with KRS 45A.343 and KRS 45A.395

Attached are statements which must be completed by bidders. These statements are required under the listed statutes and must be completed and submitted with the bid.

Compliance with Applicable Laws/Regulations

Successful bidder must comply with the City of Owensboro/Daviess County ordinances relating to Occupational License Fees, business Licenses, payroll and net profits taxes and any other ordinances which may apply to any particular bid package.

Compliance with Equal Opportunity Statutes

The Regional Water Resource Agency is an equal opportunity employer and does not discriminate on the basis of race, color, religion, sex, national origin, age, marital status, physical or mental disability, or any other characteristic protected by law. RWRA is also committed to employing only United States citizens and aliens who are authorized to work in the United States and complies with the Immigration Reform and Control Act of 1986. Therefore, the successful bidder must demonstrate to the satisfaction of RWRA that he also conforms to all Federal, State and Local equal opportunity statutes. Further, the contractor will reimburse RWRA for any damages incurred due to any violation of the above-mentioned statutes by the contractor while under contract.

Manuals

This equipment shall be provided with an Owner's manual and a CD/physical media consisting of manufacturer's data and maintenance information. These manuals shall be current with the version of the product delivered and shall accompany the delivery of the equipment.

Standard Equipment

Product shall contain all standard products and features listed as such in the manufacturers' latest literature unless otherwise stated within these specifications

Pre-Service

All new equipment must be pre-serviced to the manufacturer's recommendations and in first class operating condition when delivered. All service work shall be done in the vendor's place of business or in another location provided by the vendor. No major assembly or servicing of equipment will be allowed on RWRA property. Only minor modifications to equipment necessary to bring the item into compliance with specifications will be permitted.

Advertising

Unit shall be entirely free from any and all advertising attachments of dealer, such as clips, license brackets, mud flaps or other devices bearing vendor's name.

PROJECT SPECIFICATIONS

Detailed specifications are listed below. All Bidders are expected to meet or exceed all performance criteria specifications listed herein as minimums. Any Bidder submitting a proposal which does not meet or exceed the performance of the stated specifications, is required to identify the specification which is not met with an explanation for the exception on the "Bidders Exceptions, Conflicts and Clarifications". RWRA reserves the right to consider any listed exception to determine if the exception is of a minor nature and may be accepted, or if the exception is of such a serious nature that the bid will not be accepted.

Base Bid Specifications

RWRA is seeking proposals to purchase a FRONT LOADER - MID SIZE WHEEL

GENERAL: The units proposed to be purchased under this contract are to be used by the Regional Water Resource Agency in general duty construction and yard work. The quote should reflect the pricing for one (1) whole unit.

1) **General Specifications**

- a) Unit must have JRB 416 Pattern Hydraulic Coupler Tool Attachment (or supplied adapter)
- b) Unit shall be equipped with 20.5 R 25 tire with multi-piece rims
- c) Machine full turn 40 degrees tipping load with standard Z-bar linkage with Pin-on GP Bucket with bolt-on edge, 2.75 cu yd with tire deflection shall be at least 18,208lb. (8,259kg)
- d) Machine full turn 40 degrees tipping load with standard Z-bar linkage with Pin-on GP Bucket with bolt-on edge with NO tire deflection 2.75 cu yd shall be at least 19,742 lb. (8,959 kg)
- e) Front tires shall be covered with fenders
- f) Easily accessible remote start battery terminals
- g) The counterweight shall be built in
- h) The unit will be provided with a hitch with locking pin
- i) Unit shall have an articulation locking bar
- j) Unit shall have vandal protection with lockable engine enclosures, filler access for radiator/fuel/DEF/hydraulic/transmission
Unit shall be provided with a loader boom service locking bar
- k) Bucket break out force shall be no less than 24,406 lbs. with manufacturers standard Z-bar with pin-on 2.75 cu yd pin on bucket and standard configuration

2) **Frames and Structures**

- a) Machine front frame shall be of a 4-plate design of four vertical plates extending from boom pivots pins reaching to the front axle to distribute boom loads on the axle. The design is superior to the two-plate frames
- b) Loader bucket bell crank linkage shall be fabricated of high strength steel for increased durability and strength over castings.

3) **Engine**

- a) Engine shall be certified to EPA Final Tier 4/EU Stage IV
- b) Engine shall have a wet-sleeve cylinder liner design for improved cylinder cooling over dry sleeve and cast-in-bore design for improved cylinder and piston ring durability

- c) Engine displacement shall be no less than 6.8 liters (414 cu. In.)
- d) Engine net power shall be no less than 152hp (113KW) at 1,800RPM
- e) Engine shall develop at least a 60% torque rise and should have at least a 504 lb. ft. net peak torque at 1,100 RPM
- f) Fuel system shall be high-pressure, common rail
- g) Daily check points shall be accessible from one side of the engine and shall be done from ground level
- h) Under-hood engine air cleaned shall be dry tape, dual element with a restriction sensor and in cab restriction warning light
- i) Loader shall be equipped with a heavy-duty steel fuel tank guard
- j) Service interval for the engine oil and filter shall be 500 hours
- k) The electrical system shall be 24 volts with 100 -amp alternator

4) Cooling

- a) Coolin system shall be isolated from the engine compartment
- b) Unit shall have a coolant recovery tank provided
- c) Unit shall have a fan-guard
- d) Fluid level should be easily checked by sight gauges or overflow tank

5) Power Train

- a) The transmission shall be electronically controlled, adaptive, with load and speed dependent shift modulation
- b) Service interval for the transmission oil filter shall be 2000 hours
- c) The unit shall have steering column or joystick mounted F-N-R and gear-select lever, kick down button on hydraulic lever. Will also have quick shift feature that allows pushbutton gears changes, one gear at a time
- d) Sight gauge showing transmission fluid shall be at ground-level

6) Axles/Brakes

- a) The finial drive shall be heavy-duty inboard-mounted planetary
- b) The service brake hall be hydraulically actuated, inboard sun shaft mounted, oil cooled, self-adjusting, single dis and sealed from water, mud and dust contamination
- c) The parking brake shall be automatic, spring applied, hydraulically released, driveline mounted, oil cooled, multi-disc and sealed from water, mud, and dust contamination
- d) The rear axle shall not have less than 24-degree total oscillation, stop to stop, when equipped with 20.5R25 tires
- e) The front axle shall be hydraulically actuated, disc clutch style, locking differential for maximum traction when required but with less tire wear than limited slop or no-spin differentials
- f) The loader shall have a standard hydraulic locking front with conventional rear and optional dual locking front and rear

7) Hydraulic System

- a) Hydraulic filter shall be in the hydraulic tank with service interval of 4000 hours
- b) The hydraulic filter shall have a rated life of 4000 hours

- c) Hydraulic tank capacity should be no less than 21.7 gallons for extended hydraulic fluid intervals and cooler system temperature
- d) All auxiliary flow functions will have the ability to be adjustable and continuous
- e) Bucket shake feature for fine metering of loose materials
- f) A sight gauge will be provided for checking hydraulic reservoir fluid
- g) Hydraulic pump shall be variable-displacement, axial-piston pump: closed center, pressure compensation system
- h) Loader steering articulation angle shall be no less than 80 degrees, 40 degrees in each direction

8) Electrical

- a) Two batteries shall be included, 24 volts, 950 CCA, with rated reserve of 200-min
- b) The unit shall have a solid-state electrical power distribution system using circuit board technology and solid-state switches
- c) Unit electrical system will be protected by a 150-amp circuit breaker
- d) The unit shall be provided with a lockable master electrical disconnect switch
- e) Cab will be pre-wired for a rotating beacon/strobe light
- f) Unit shall be equipped with (4) front; (2) rear drive lights with guards, turn signals and flashers, stop and taillight. The taillights shall be LED type mounted high up in the rear grille for protection from damage and better sight visibility.
- g) Unit shall be equipped with analog display for: engine coolant temperature, transmission oil temperature, hydraulic oil temperature, and engine oil pressure
- h) Unit shall have digital read out for: engine rpm, odometer, transmission gear/direction indicator, speedometer, hour meter, fuel level, average fuel consumption and DEF level
- i) Unit shall have operator warning lights for: check engine, engine oil pressure, engine air restriction, battery voltage, transmission filter restriction, brake pressure, hydraulic oil filter, transmission fault, hydraulic oil temperature

9) Operator Station

- a) Unit shall be equipped with a cab with ROPS/FOPS level 1 protection, including A/C and heater and be multiplane isolation mounted for noise/vibration reduction
- b) Dual tilt steering wheel standard
- c) 3-point contact at all times at the front and rear of the loader and around the roofline
- d) The cab shall have continuous and unobstructed glass from roofline to floor for visibility in tight quarter
- e) Standard AM/FM/Weather Band with remote auxiliary port

10) Optional Configurations

- a) Optional heated and adjustable mirrors for cold weather
- b) Optional review camera with a dedicated rear view display monitor

11) Warranty:

- a. Unit to be covered for a period of 3 years. The warranty shall begin on the date of delivery to RWRA's shop. The warranty shall cover at minimum, the entire unit for defective material and/or workmanship at a rate of 100% for the first (3) years or 10,000 hours (whichever comes first).
- b. Except otherwise shown, coverage does not include normal, or expected "wear and tear" such as tire tread wear, etc. as identified by the manufacturer's literature as standard/scheduled preventative maintenance items or wear items.

2025-11 Quotation Sheet

Please quote on the items listed below. RWRA reserves the right to reject all or any part of offer. All Proposers are responsible for reading and complying with the attached specifications.

Bid Item #	Bid Item Description	Unit	Total with <u>NO TAX INCLUDED</u>
1	FRONT LOADER – MID SIZE WHEEL	Lump Sum	\$ _____
1a	Chassis Brand:	Make/Model	_____
2	Optional Heated/Adjustable Mirrors	Add to Lump Sum	\$ _____
3	Optional Rear View Camera/Display	Add to Lump Sum	\$ _____

Schedule Timelines to Deliver:

A	Complete Unit Production/Delivery Time to RWRA’s Shop from Signed Order	# Weeks from Notice of Award:
B	Warranty Length Provide	# Years/Hours/% Cost Covered: _____/_____/_____